



VZ-PVM-I4W3N ADVANTAGES

- 32" Mega Pixel IP Full HD 1080p Resolution
- Onvif Profile S Compliant
- Protective Glass / IPS Panel for Wider Viewing Angle - 178° / 178°
- Camera Motion Sensor & Time Interval Based Source Switching
- Auto Power / Source Recovery
- Built-in 2 Mega Pixel Camera / 600 TV Line - Analog Video Resolution
- PIP / PBP
- BNC(NTSC/PAL), VGA, HDMI, RJ-45, Audio, DC 12V Out
- 3D Comb-filter, De-interlace
- "A" Commercial Grade LED
- Supports Dual Voltage (110V AC and 24V DC)
- 3-Year Warranty




| MODEL # | | VZ-PVM-I4W3N | |
|---------------------------------|--|-------------------------------------|--|
| DISPLAY | | | |
| Screen Size | 32" | | |
| Max. Resolution | 1920 x 1080 @60Hz | | |
| Pixel Pitch | 0.36375mm x 0.36375mm | | |
| Brightness | 250cd/m ² (Typical) | | |
| Contrast Ratio | 4000:1 | | |
| Aspect Ratio | 16 : 9 | | |
| Viewing Angle (H/V) | 178° / 178° | | |
| Display Color | 16.7 Million | | |
| Response Time | < 6.5 ms | | |
| Video System | NTSC / PAL | | |
| INTERFACE | | | |
| AV (Composite) In | 1 | | |
| Camera (CVBS) Out | 1 | | |
| HDMI In / VGA In (15Pin D-Sub) | 1 / 1 | | |
| Audio In / Out | 1 / 1 | | |
| Ethernet 10 / 100 | 1 | | |
| DC12V Out (Camera Use) | 1 | | |
| SPECIAL FEATURES | | | |
| Multi Display Function | PIP / PBP | | |
| Filter Type | 3D Comb-filter / De-Interlace | | |
| Multi-lingual Language | English, Spanish, French, Russian, Portuguese | | |
| AUDIO | | | |
| Built in Speaker | 5W x 2 | | |
| DIMENSIONS & WEIGHT | | | |
| Outline Dimension (W x H x D) | 28.86" x 20.01" x 2.17" | | |
| | 733.2mm x 508.3mm x 55.3mm | | |
| Net Weight / Gross Weight | 33.06 lbs (15.00 kg) / 39.68 lbs (18.0 kg) | | |
| MOUNT | | | |
| VESA | 200mm x 200mm / M6 x L8 Screws | | |
| GENERAL | | | |
| Transmitter - IR Remote Control | YES | | |
| Power | Electrical Ratings | AC 110~240V (50/60Hz) 24V DC / 4A | |
| | Consumption | ≤ 50 W | |
| Warranty | Parts/ Labor | 3 Year / 3 Year | |
| Operating Temperature | 32 - 104°F / 0 - 40°C | | |
| Regulation | cUL, FCC(A), CE | | |
| Compatible Mounts | Wall | VZ-WM50, VZ-AM02 | |
| | Ceiling | VZ-CMKIT-01, VZ-CMKIT-02 | |

| CAMERA | |
|--------------------------------|--|
| Camera Type | 2 Mega Pixel IP Camera |
| Image Sensor / Encoder Chipset | SONY IMX322 / Amba S233 |
| Lens | DC Auto Iris 2.8~12mm Vari-focal Lens |
| Total / Effect Pixel | 1920(H) x 1080p(V) 30fps |
| Video Compression | H.264, MJPEG, CBR, VBR support |
| Video Out | 1ch CVBS (NTSC/PAL) / 1ch RJ-45 output |
| Motion Detection | Support |
| Ethernet Port | 10 / 100 Base-T |
| Web Application | IE 6 ~ 11, Firefox |
| Network Protocol | TCP/IP, UDP, SMTP, HTTP, FTP, PPPOE |
| | DHCP, DNS, DDNS, UPNP, RTP, RTSP |
| Integration Protocol | ONVIF 2.4 (supported) |
| Function | 2D/3D NR, D-ZOOM, DPC, HLC/BLC, Defog |
| | D/N, WDR, AGC, AWB |
| MEDIA CARD (Optional) | |
| External Storage | Support SD/SDHC CARD, USB 2.0 HOST |
| Output | VIDEO - HDMI(1080p) / AUDIO - L/R, HDMI |
| VIDEO Format | RM, RMVB, AVI, DVIX, MKV, MOV, HDMOV, MP4, M4V, PMP, AVC, FLV, VOB, MPG, DAT, MPEG, TS, TP, M2TS, WMV, H.264, H.263, WMV9, VC-1, MPEG1/2/4 |
| VIDEO Resolution | 1080P @60Hz |
| AUDIO Format | MPEG1/2/4, MP3, WMA, OGG, AAC, FLAC, APE, AC-3, DTS, ATRA, WAV, PCM |
| Image Format | JPEG, TIF, PNG, BMP |
| VIDEO Play Control | AUTO, REPEAT, ZOOM, RESUME, TIME |


Contact ViewZ

- Address : 177 W. Orangethorpe Ave., Placentia, CA 92870
- Phone : (714) 996-1177, Fax : (714) 996-1138
- Sales : sales@viewzusa.com
- Specification subject to change without notice.

DIMENSIONS



INTERFACE



1. HDMI IN
2. AV (BNC) IN
3. VGA (15 Pin D-Sub) IN
4. AUDIO IN / OUT
5. CAMERA CVBS OUT
6. CAMERA IP(Ethernet) OUT
7. (Optional) Media Player HDMI OUT
8. (Optional) Media Player USB
9. (Optional) Media Player SD Card
10. AC 110V IN
11. DC 24V IN
12. DC 12V OUT

Contact ViewZ

- Address : 177 W. Orangethorpe Ave., Placentia, CA 92870
- Phone : (714) 996-1177, Fax : (714) 996-1138
- Sales : sales@viewzusa.com
- Specification subject to change without notice.